

## Labochem Eesti OÜ Lao tühjendusmüük – Reagendid

Tootekood	Kirjeldus	Hind, km'ta	Soovituslik jaehind
03124-1KG	Potassium iodide, puriss., meets analytical specification of Ph. Eur. BP, USP, 99.0-100.5% (calc. to the dried substance), 1kg	<b>246,50</b>	<del>305,53</del>
04276-1KG	Sodium phosphate dibasic, puriss., meets analytical specification of Ph. Eur., BP, USP, FCC, E 339, anhydrous, 98-100.5% (calc. to the dried substance), 1kg	<b>48,40</b>	<del>54,37</del>
07208-1L	Sulfuric acid, puriss., meets analytical specification of Ph. Eur., BP, 95-97%, 1L	<b>8,70</b>	<del>54,70</del>
07208-4X2.5L	Sulfuric acid, puriss., meets analytical specification of Ph. Eur., BP, 95-97%, 4x2.5L	<b>70,00</b>	<del>83,56</del>
1.00732.2510	SULFURIC ACID 95-97% FOR ANALYSIS EMSURE	<b>5,00</b>	<del>139,00</del>
1.00858.0001	Calcium Cell Test, photometric 10 - 250 mg/l Ca 14 - 350 mg/l CaO 25 - 624 mg/l CaCO* Spectroquant*	<b>142,00</b>	<del>174,00</del>
1.01295.0001	Coliforms 50, ReadyCult®	<b>106,50</b>	<del>118,00</del>
1.01323.0250	Methylorange sol, 250ml	<b>44,80</b>	<del>53,20</del>
1.01809.0001	Volatile Organic Acids Test, photometric, 50-3000 mg/L (volatile organic acids), Spectroquant, 100 test	<b>215,40</b>	<del>244,00</del>

1.03170.0025	ERIOCHROME BLACK T (C.I. 14645) METAL IN	<b>39,50</b>	<del>52,40</del>
1.07223.0010	1,10-Phenanthroline chloride monohydrate GR for analysis and redox indicator [reagent for iron(II)] Reag. Ph Eur. CAS 18851-33-7, molar mass 234.69 g/mol	<b>102,90</b>	<del>150,50</del>
1.07742.0100	SILICONE OIL F OIL BATHS 100 ML	<b>64,60</b>	<del>72,70</del>
1.16217.0001	PRE-COLUMN HOLDER FOR LICHROCART CARTRIDGES 4-4 FOR CAPILLARY CONNECTION TO HIBAR RT COLUMN	<b>190,00</b>	<del>253,00</del>
1.19813.0500	Sulfate standard solution 1000mg/l, CertiPUR®, 500ml	<b>36,80</b>	<del>41,50</del>
1.25045.0100	Nitrogen (total) Standard Solution, CRM, traceable to SRM from NIST 100 mg/l N in H <sub>2</sub> O 100ml	<b>42,20</b>	<del>46,50</del>
157740-1KG	Iron(III) chloride, reagent grade, 97%, 1kg	<b>42,20</b>	<del>73,10</del>
182702-250G	Poly(vinylidene fluoride), average Mw ~534,000 by GPC, powder, 250g	<b>481,80</b>	<del>567,00</del>
197378-100G	Picric acid, reagent grade, 98%, 100g	<b>63,50</b>	<del>83,50</del>
223433-100G	SODIUM OXALATE, 99.5+%, A.C.S. REAGENT	<b>35,00</b>	<del>45,60</del>
23223.290	CYCLOHEXANE GPR RECTAPUR	<b>38,80</b>	<del>50,90</del>
23224.293	CYCLOHEXANE ANALAR NORMAPUR ACS/R.PE	<b>56,50</b>	<del>74,10</del>
23615.261	HYDROGEN PEROXIDE AB.30 % ANALAR NP T.A.	<b>46,20</b>	<del>55,80</del>
24201-4X2.5L	Acetone, puriss., meets analytical specification of Ph. Eur., BP, NF, >=99% (GC), 4x2.5L	<b>57,00</b>	<del>325,14</del>

253081-100G	Titanium(IV) propoxide,98%, 100g	<b>47,60</b>	<del>71,20</del>
289787-250G	Copper(II) hydroxide,technical grade, 250g	<b>68,60</b>	<del>79,60</del>
30145.297	SULPHURIC ACID 0,1 MOL/L 0,2 N AVS TITRI	<b>5,00</b>	<del>35,20</del>
30501-6X1L	Ammonium hydroxide solution,puriss. p.a., reag. ISO, reag. Ph. Eur., ~25% NH3 basis, 1L	<b>25,00</b>	<del>187,20</del>
30620-1KG-G	Sodium hydroxide, 1kg	<b>24,20</b>	<del>42,55</del>
30620-6X1KG	Sodium hydroxide,puriss. p.a., ACS reagent, reag. Ph. Eur., K <=0.02%, >=99%, pellets, 6x1kg	<b>126,00</b>	<del>223,27</del>
30709-1L	Nitric acid,puriss. p.a., reag. ISO, reag. Ph. Eur., for determinations with dithizone, >=65%, 1L	<b>10,10</b>	<del>51,24</del>
30721-2.5L	Hydrochloric acid,puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., fuming, >=37%, <=10(APHA), 25L	<b>14,00</b>	<del>58,54</del>
30721-4X2.5L	Hydrochloric acid,puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., fuming, >=37%, <=10(APHA), 4x2.5L	<b>47,00</b>	<del>176,74</del>
30743-1L-G	Sulfuric acid 95-97%, 1l	<b>2,20</b>	<del>45,08</del>
308250-2.5L	2-METHYL-2-PROPANOL, 99.5+%, HPLC GRADE	<b>141,90</b>	<del>227,08</del>
31045-1L	Buffer solution, pH 2, 1 l	<b>56,50</b>	<del>66,03</del>

32201-4X2.5L	Acetone, puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., >=99.5% (GC), 4x2.5L	<b>50,80</b>	354,49
32213-2.5L	Methanol, puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., >=99.8% (GC), 25L	<b>11,00</b>	87,11
32249-4X2.5L	Toluene, puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., >=99.7% (GC), 4x2.5L	<b>84,00</b>	481,38
33539-4X2.5L	2-PROPANOL R. G., REAG. ACS, REAG. ISO,	<b>54,40</b>	574,83
33665-500ML	Buffer solution, pH 4, red, with fungicide, 500 ml	<b>38,50</b>	39,50
339046	OXIDASE TEST STRIP	<b>20,20</b>	37,20
34494-4X2.5L	Toluene	<b>135,50</b>	349,95
34800-2.5L-G	HYDRANAL solvent, 2.5L	<b>168,80</b>	180,54
34851-2.5L-G	Acetonitrile, for HPLC, 2.5l	<b>22,60</b>	372,91
34859-4X2.5L	Hexane, CHROMASOLV(R), for HPLC, >=97.0% (GC), 4x2.5L	<b>136,30</b>	1037,10
34865-1L	Tetrahydrofuran, CHROMASOLV(R) Plus, for HPLC, >=99.9%, inhibitor-free, 1L	<b>75,00</b>	212,15
34885-2.5L-G	Methanol G Chromasolv, 2.5l	<b>11,90</b>	84,40

34967-1L.	Acetonitrile, LC-MS CHROMASOLV®, ≥99.9%, 1l	<b>33,70</b>	<del>150,66</del>
34967-6X1L	Acetonitrile, LC-MS CHROMASOLV(R), ≥99.9%, 1L	<b>240,00</b>	<del>914,20</del>
38057-1EA-G	Idranal III Fixanal, 1ea	<b>8,00</b>	<del>37,43</del>
38057-6X1EA	IDRANAL(R) III concentrate, (EDTA- Na <sub>2</sub> ), FIXANAL(R), for preparation of volumetric solutions, (37.224 g C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> ·2H <sub>2</sub> O, 0.1 mol), 6x1pc	<b>48,00</b>	<del>201,64</del>
38060-1EA-G	Iodine st. sol., 0,05mol, 1ea	<b>15,50</b>	<del>48,30</del>
38215-1EA-G	1.0mol sodium hydroxide, Fixanal, 1ea	<b>13,80</b>	<del>42,11</del>
38215-6X1EA	Sodium hydroxide standard solution, FIXANAL(R), for preparation of volumetric solutions, concentrate, pkg of 1.0 mol (39.997 g NaOH), 6x1pc	<b>80,00</b>	<del>252,63</del>
38250-1EA	Oxalic acid standard solution, FIXANAL(R), for preparation of volumetric solutions, concentrate, pkg of 0.05 mol (6.303 g (COOH) <sub>2</sub> · 2H <sub>2</sub> O), 1pc	<b>10,40</b>	<del>40,25</del>
38280-1EA-G	0,1 mol hydrochloric acid FIXANAL, 1ea	<b>9,00</b>	<del>37,43</del>
38282-6X1EA	Hydrochloric acid standard solution, FIXANAL(R), for preparation of volumetric solutions, concentrate, pkg of 1.0 mol (36.461 g HCl), 6x1pc	<b>34,00</b>	<del>192,08</del>

38294-6X1EA	Sulfuric acid standard solution, FIXANAL(R), for preparation of volumetric solutions, concentrate, pkg of 0.5 mol (49.039 g H <sub>2</sub> SO <sub>4</sub> ), 6x1pc	<b>80,00</b>	<del>206,80</del>
38796-1L	Water, deionized, 1L	<b>10,10</b>	<del>18,00</del>
40089	CHLORDANE REFERENCE STANDARD FOR EPA MET	<b>29,80</b>	<del>39,80</del>
435236-250G	Cellulose, microcrystalline, powder, 250g	<b>52,90</b>	<del>59,20</del>
441406-10X1.0ML	TETRAHYDROFURAN-D <sub>8</sub> , >=99.5 ATOM % D	<b>200,00</b>	<del>633,00</del>
52411-5ML-F	Heptafluorobutyric acid, puriss. p.a., for ion chromatography, >=99.5% (GC), 5ml	<b>36,00</b>	<del>57,10</del>
563218-25G	Sodium nitrite, 99.999% trace metals basis, 25g	<b>131,70</b>	<del>155,00</del>
56581-50G	Sodium perchlorate monohydrate	<b>35,60</b>	<del>58,70</del>
67276-100ML	Nitrite Standard for IC, TraceCERT(R), 1000 mg/L NO <sub>2</sub> -in H <sub>2</sub> O (pH ~11), 100ml	<b>50,50</b>	<del>65,90</del>
709-0138	LIQUID COOLING BATH 1 * 1 items	<b>19,10</b>	<del>28,50</del>
75990-1G	Palladium on activated charcoal, puriss., 10% Pd basis, 1g	<b>28,50</b>	<del>39,10</del>
791733-500G	POTASSIUM ACETATE, ANHYDROUS, REDI-DRI&	<b>70,00</b>	<del>187,00</del>
8.01081.0100	ALUMINIUM CHLORIDE ANHYDROUS POWDER SUBL	<b>15,00</b>	<del>34,80</del>
86541-5G	TESTOSTERONE PROPIONATE, TESTED ACCORDIN	<b>62,20</b>	<del>99,50</del>
88588-500G-F	Plate-Count-Agar according to Buchbinder et al., BioChemika, for microbiology, 500g	<b>107,30</b>	<del>150,00</del>
90758	Potassium iodide starch paper MN 616 T box of 200 strips 20x70mm 1 * 200 items	<b>10,00</b>	<del>25,40</del>
92279-100ML	Scandium Standard for ICP, TraceCERT(R), 1000 mg/L Sc in nitric acid, 100ml	<b>153,80</b>	<del>205,00</del>

98052.296	HYDROCHLORIC ACID 0,02 MOL/L 0,02 N AVS	<b>10,00</b>	<del>48,80</del>
A1296-1KG	Agar,microbiology tested, plant cell culture tested, cell culture tested, powder, 1kg	<b>293,60</b>	<del>454,00</del>
A2252-5G	Adenosine 5'-monophosphate monohydrate,from yeast, >=97%, 5g	<b>51,50</b>	<del>58,40</del>
A4915-1KG	AMMONIUM SULFATE ACS REAGENT ACS reagent, >=99.0%,	<b>67,80</b>	<del>122,00</del>
ACRO149490025	ACETIC ANHYDRIDE	<b>93,90</b>	<del>101,00</del>
ACRO156460250	N,O- BIS(TRIMETHYLSILYL)ACETAMIDE	<b>38,70</b>	<del>41,70</del>
ACRO400490250	ALIZARINYELLOWRSODIUMSALT	<b>42,70</b>	<del>55,00</del>
APPC141058.1611	Sulfuric Acid 95 - 98 % (USP-NF, BP, Ph. Eur.) pure, pharma grade	<b>31,30</b>	<del>34,90</del>
B19401-250G	Benzyl cyanide,98%, 250g	<b>20,70</b>	<del>34,90</del>
B5459-5G	(4- Bromophenyl)diphenylphosphine Oxide	<b>336,30</b>	<del>440,00</del>
C2037-100MG	Cytochrome c from bovine heart,>=95% based on Mol. Wt. 12,327 basis, 100mg	<b>208,70</b>	<del>248,00</del>
CL00.0607.1000	Phenol a.r.	<b>33,00</b>	<del>84,80</del>
CL00.0802.2500	Hexane-(n) a.r. 2.5 L	<b>20,30</b>	<del>95,80</del>
CL00.1404.1000	Sodium hydroxide, pellets a.r.	<b>12,60</b>	<del>26,90</del>
CL05.1004.1000	Iodine solution according WIJS 0.1 mol/l	<b>30,10</b>	<del>38,90</del>
DRE-C10651825	Irgafos 126, 50mg	<b>117,80</b>	<del>180,00</del>
DRE-C13327000- 5ML	Ethylacetate, 1ml	<b>69,00</b>	<del>77,28</del>

DRE-C14373900	Irganox 1010, 100mg	<b>105,90</b>	<del>180,00</del>
DRE-C14373920	Irganox 1076, 250mg	<b>90,50</b>	<del>180,00</del>
DRE-C16415100	1-Propanol	<b>38,30</b>	<del>46,62</del>
F5386-1G	Fibrin from human plasma, 1g	<b>464,00</b>	<del>527,00</del>
G6875-1G	alpha-D-Glucose 1-phosphate dipotassium salt hydrate, ~98%, 1g	<b>94,70</b>	<del>107,00</del>
G-CEL-500g	Celite (500 g)	<b>200,00</b>	<del>350,00</del>
H33207-5G	5-HYDROXYISOQUINOLINE, TECH., 90% technical grade, 90%,	<b>93,90</b>	<del>129,00</del>
H7640-1MG	Heparan sulfate sodium salt from bovine kidney, 1mg	<b>398,20</b>	<del>421,00</del>
HACH2610810	PADDLE TESTER TOTAL BACTERIA, Y&M	<b>44,20</b>	<del>47,10</del>
HPC-679092-250MG	Nonylphenol (technical); 250MG	<b>36,00</b>	<del>98,00</del>
Y0001409	TESTOSTERONE PROPIONATE FOR SYSTEM SUITA	<b>101,90</b>	<del>139,00</del>
K-SUFRG	Sucrose/Fructose/D-Glucose Assay Kit	<b>224,00</b>	<del>370,00</del>
L4509-100G	Sodium dodecyl sulfate, ReagentPlus(R), >=98.5% (GC), 100g	<b>54,00</b>	<del>84,60</del>
LM-VKI-QC-WW4-10	Wastewater - COD TOC (NVOC) (500 - 200) CODCr, 500 mg/L TOC (NVOC), 200 mg/L	<b>450,00</b>	<del>504,00</del>
LM-VKI-QC-WW4A-10	Wastewater/Fresh recipient water - COD TOC (NVOC) (50 - 20)	<b>438,80</b>	<del>491,40</del>
MM99-10	Legionella anisa NCTC 11974 / ATCC 35292 , 10pc	<b>103,80</b>	<del>116,23</del>
P3011-500G	POTASSIUM THIOCYANATE, REAGENTPLUS TM, >= 99.0%	<b>70,00</b>	<del>142,00</del>
P4894-500G	POLOXAMER 188	<b>112,00</b>	<del>178,00</del>
P5271-500G	Potassium dichromate, ReagentPlus(R), >=99.5%, 500g	<b>53,00</b>	<del>72,50</del>



P5629-1KG	Potassium phosphate tribasic, reagent grade, >=98%, 1kg	<b>50,00</b>	<del>123,00</del>
PEPSIN	PEPSIN 1:10000 NF (2000FIP), 1kg	<b>248,00</b>	<del>1645,18</del>
PFNP-10-5658-1	Paraffine Pastilles for Histology without DMSO, packed in 10kg bags, melting point 56-58°C	<b>94,80</b>	<del>158,00</del>
PW 3187	Thioglycollate Fluid Medium (glass) / 10ml, 50 tubes	<b>103,80</b>	<del>116,23</del>
S5881-500G	Sodium hydroxide, reagent grade, >=98%, pellets (anhydrous), 500g	<b>18,40</b>	<del>32,40</del>
T0300000	TESTOSTERONE PROPIONATE, EUROPEAN PHARMA	<b>101,90</b>	<del>139,00</del>
VHG-LSNNF-100	Tin Standard: Sn @ 10 *g/mL in 5% HNO3, tr. HF, 100 ml	<b>20,00</b>	<del>210,00</del>
VHG-SB100-10-100	Sulfur Standard: S @ 10 *g/g in B100 Biodiesel 100 mL	<b>20,00</b>	<del>180,00</del>

**Hindadele lisandub käibemaks!**

Juhul kui pakkumises olevad tooted ei kuulu teie tegevusvaldkonda, kuid teate kedagi, kes neid kasutab, siis saatke see pakkumine edasi kõigile, kellele see huvi võiks pakkuda.

**Hinnad kehtivad kuni 20.12.2024!**